

PERFILES ISO

ISO PROFILES



ISO

El sistema ISO está diseñado para ofrecer una solución versátil y adaptable a diferentes espesores de pared. Tanto el marco como la puerta están concebidos con un diseño modular que permite su ajuste mediante perfiles de PVC, que no solo realiza función de suplemento, sino también de corte térmico suplementos adicionales, lo que facilita una instalación precisa y sin necesidad de piezas a medida.

El marco cuenta con suplementos disponibles en las siguientes medidas:

- 20 mm
- 50 mm
- 60 mm

Combinando estos suplementos es posible alcanzar el grosor deseado, adaptando el marco a distintos espesores de pared.

La puerta no requiere suplementos, ya que está disponible en distintos grosores según las necesidades del proyecto:

- 60 mm
- 80 mm
- 100 mm
- 120 mm

Esto permite seleccionar directamente la puerta adecuada en función del espesor deseado, facilitando una instalación sencilla y precisa.

Materiales:

- Perfiles de Aluminio 6060 con tratamiento térmico RAL 9010
- Perfiles PVC resistente

ISO

The ISO system is designed to offer a versatile solution that can be adapted to different wall thicknesses. Both the frame and the door are designed with a modular design that allows them to be adjusted using PVC profiles, which not only act as supplements, but also as additional thermal breaks, facilitating precise installation without the need for custom-made parts.

The frame has supplements available in the following sizes:

- 20 mm
- 50 mm
- 60 mm

By combining these supplements, it is possible to achieve the desired thickness, adapting the frame to different wall thicknesses.

The door does not require supplements, as it is available in different thicknesses according to the needs of the project:


- 60 mm
- 80 mm
- 100 mm
- 120 mm

This allows you to directly select the appropriate door based on the desired thickness, facilitating simple and precise installation.


Materials:

- 6060 aluminium profiles with RAL 9010 heat treatment
- Resistant PVC profiles

Marco / Frame




Marco / Frame							
Fig.	Modelo Version	Código Code	Material Material	Color Colour	un.	Peso Weight	
1	ISO-53 Marco interior / Internal frame	F10 7385	Aluminio / Aluminium	Blanco / white RAL 9010	tira / strip 5,8 mt	----	
2	ISO-50 Marco exterior / external frame	F10 7382	Aluminio / Aluminium	Blanco / white RAL 9010	tira / strip 5,8 mt	----	
3	ISO-54 Suplemento / shim 20mm	F10 5946	PVC	Blanco / white	tira / strip 5,8 mt	----	
4	ISO-55 Suplemento / shim 50mm	F10 5947	PVC	Blanco / white	tira / strip 5,8 mt	----	
5	ISO-56 Suplemento / shim 60mm	F10 5948	PVC	Blanco / white	tira / strip 5,8 mt	----	
6	ISO-57 Suplemento / shim 100mm	F10 5949	PVC	Blanco / white	tira / strip 5,8 mt	----	
7	ISO-03 Perfil tapa / cover profile	F10 5952	Aluminio / Aluminium	Blanco / white RAL 9010	tira / strip 5,8 mt	----	
8	ISO-06-V2 Escuadra / Square	F10 5954	Aluminio / Aluminium	Blanco / white RAL 9010	unidad / unit	----	



ISO-53 Fig. 1

Modelo / Version	Marco interior / Internal frame
Código / Code	F10 7385
Material / Material	Aluminio / Aluminium
Color / Colour	Blanco / white RAL 9010
un.	Tira / strip 5,8 mt
Peso / Weight	----




ISO-50 Fig. 2

Modelo / Version	Marco exterior / External frame
Código / Code	F10 7382
Material / Material	Aluminio / Aluminium
Color / Colour	Blanco / white RAL 9010
un.	Tira / strip 5,8 mt
Peso / Weight	----




ISO-03 Fig. 7

Modelo / Version	Perfil tapa / cover profile (ISO-03)
Código / Code	F10 5952
Material / Material	Aluminio / Aluminium
Color / Colour	Blanco / white RAL 9010
un.	Tira / strip 5,8 mt
Peso / Weight	----




ISO-06-V2 Fig. 8

Modelo / Version	Escuadra / Square
Código / Code	F10 5954
Material / Material	Aluminio / Aluminium
Color / Colour	Blanco / white RAL 9010
un.	Unidad / Unit
Peso / Weight	----




ISO-54 Fig. 3

Modelo / Version	Suplemento / Shim 20 mm
Código / Code	F10 5946
Material / Material	PVC
Color / Colour	Blanco / white
un.	Tira / strip 5,8 mt
Peso / Weight	----





ISO-55 Fig. 4

Modelo / Version	Suplemento / Shim 50 mm
Código / Code	F10 5947
Material / Material	PVC
Color / Colour	Blanco / white
un.	Tira / strip 5,8 mt
Peso / Weight	----



ISO-56 Fig. 5



Modelo / Version	Suplemento / Shim 60 mm
Código / Code	F10 5948
Material / Material	PVC
Color / Colour	Blanco / white
un.	Tira / strip 5,8 mt
Peso / Weight	----



ISO-57 Fig. 6

Modelo / Version	Suplemento / Shim 100 mm
Código / Code	F10 5949
Material / Material	PVC
Color / Colour	Blanco / white
un.	Tira / strip 5,8 mt
Peso / Weight	----

Marco / Frame
60mm





Montaje
Por cada tira de ISO-53 se necesitan 2 tiras de ISO-03
Por cada tira de ISO-50 se necesita 1 tira de ISO-03

Assembly
For each strip of ISO-53, 2 strips of ISO-03 are required
For each strip of ISO-50, 1 strip of ISO-03 is required

Marco / Frame							
Fig.	Modelo Version	Código Code	Material Material	Color Colour	un.	Peso Weight	Montaje Assembly
1	ISO-53 Marco interior / Internal frame	F10 7385	Aluminio / Aluminium	Blanco / white RAL 9010	tira / strip 5,8 mt	----	1
2	ISO-50 Marco exterior / external frame	F10 7382	Aluminio / Aluminium	Blanco / white RAL 9010	tira / strip 5,8 mt	----	1
3	ISO-54 Suplemento / shim 20mm	F10 5946	PVC	Blanco / white	tira / strip 5,8 mt	----	1
6	ISO-03 Perfil tapa / cover profile	F10 5952	Aluminio / Aluminium	Blanco / white RAL 9010	tira / strip 5,8 mt	----	3

Marco / Frame 80mm





Montaje
Por cada tira de ISO-53 se necesitan 2 tiras de ISO-03
Por cada tira de ISO-50 se necesita 1 tira de ISO-03

Assembly
For each strip of ISO-53, 2 strips of ISO-03 are required
For each strip of ISO-50, 1 strip of ISO-03 is required

Marco / Frame							
Fig.	Modelo Version	Código Code	Material Material	Color Colour	un.	Peso Weight	Montaje Assembly
1	ISO-53 Marco interior / Internal frame	F10 7385	Aluminio / Aluminium	Blanco / white RAL 9010	tira / strip 5,8 mt	----	1
2	ISO-50 Marco exterior / external frame	F10 7382	Aluminio / Aluminium	Blanco / white RAL 9010	tira / strip 5,8 mt	----	1
3	ISO-54 Suplemento / shim 20mm	F10 5946	PVC	Blanco / white	tira / strip 5,8 mt	----	2
6	ISO-03 Perfil tapa / cover profile	F10 5952	Aluminio / Aluminium	Blanco / white RAL 9010	tira / strip 5,8 mt	----	3

Marco / Frame
100mm





Montaje
Por cada tira de ISO-53 se necesitan 2 tiras de ISO-03
Por cada tira de ISO-50 se necesita 1 tira de ISO-03

Assembly
For each strip of ISO-53, 2 strips of ISO-03 are required
For each strip of ISO-50, 1 strip of ISO-03 is required

Marco / Frame								
Fig.	Modelo Version	Código Code	Material Material	Color Colour	un.	Peso Weight	Montaje Assembly	
1	ISO-53 Marco interior / Internal frame	F10 7385	Aluminio / Aluminium	Blanco / white RAL 9010	tira / strip 5,8 mt	----	1	
2	ISO-50 Marco exterior / external frame	F10 7382	Aluminio / Aluminium	Blanco / white RAL 9010	tira / strip 5,8 mt	----	1	
5	ISO-56 Suplemento / shim 60mm	F10 5948	PVC	Blanco / white	tira / strip 5,8 mt	----	1	
6	ISO-03 Perfil tapa / cover profile	F10 5952	Aluminio / Aluminium	Blanco / white RAL 9010	tira / strip 5,8 mt	----	3	

Marco / Frame 120mm




Montaje
Por cada tira de ISO-53 se necesitan 2 tiras de ISO-03
Por cada tira de ISO-50 se necesita 1 tira de ISO-03

Assembly
For each strip of ISO-53, 2 strips of ISO-03 are required
For each strip of ISO-50, 1 strip of ISO-03 is required

Marco / Frame								
Fig.	Modelo Version	Código Code	Material Material	Color Colour	un.	Peso Weight	Montaje Assembly	
1	ISO-53 Marco interior / Internal frame	F10 7385	Aluminio / Aluminium	Blanco / white RAL 9010	tira / strip 5,8 mt	----	1	
2	ISO-50 Marco exterior / external frame	F10 7382	Aluminio / Aluminium	Blanco / white RAL 9010	tira / strip 5,8 mt	----	1	
3	ISO-54 Suplemento / shim 20mm	F10 5946	PVC	Blanco / white	tira / strip 5,8 mt	----	1	
5	ISO-56 Suplemento / shim 60mm	F10 5948	PVC	Blanco / white	tira / strip 5,8 mt	----	1	
6	ISO-03 Perfil tapa / cover profile	F10 5952	Aluminio / Aluminium	Blanco / white RAL 9010	tira / strip 5,8 mt	----	3	

Marco / Frame
150mm





Montaje
Por cada tira de ISO-53 se necesitan 2 tiras de ISO-03
Por cada tira de ISO-50 se necesita 1 tira de ISO-03

Assembly
For each strip of ISO-53, 2 strips of ISO-03 are required
For each strip of ISO-50, 1 strip of ISO-03 is required

Marco / Frame								
Fig.	Modelo Version	Código Code	Material Material	Color Colour	un.	Peso Weight	Montaje Assembly	
1	ISO-53 Marco interior / Internal frame	FI0 7385	Aluminio / Aluminium	Blanco / white RAL 9010	tira / strip 5,8 mt	----	1	
2	ISO-50 Marco exterior / external frame	FI0 7382	Aluminio / Aluminium	Blanco / white RAL 9010	tira / strip 5,8 mt	----	1	
4	ISO-55 Suplemento / shim 50mm	FI0 5947	PVC	Blanco / white	tira / strip 5,8 mt	----	1	
5	ISO-56 Suplemento / shim 60mm	FI0 5948	PVC	Blanco / white	tira / strip 5,8 mt	----	1	
6	ISO-03 Perfil tapa / cover profile	FI0 5952	Aluminio / Aluminium	Blanco / white RAL 9010	tira / strip 5,8 mt	----	3	

Marco / Frame 200mm



Montaje
 Por cada tira de ISO-53 se necesitan 2 tiras de ISO-03
 Por cada tira de ISO-50 se necesita 1 tira de ISO-03

Assembly
 For each strip of ISO-53, 2 strips of ISO-03 are required
 For each strip of ISO-50, 1 strip of ISO-03 is required

Marco / Frame							
Fig.	Modelo Version	Código Code	Material Material	Color Colour	un.	Peso Weight	Montaje Assembly
1	ISO-53 Marco interior / Internal frame	F10 7385	Aluminio / Aluminium	Blanco / white RAL 9010	tira / strip 5,8 mt	----	1
2	ISO-50 Marco exterior / external frame	F10 7382	Aluminio / Aluminium	Blanco / white RAL 9010	tira / strip 5,8 mt	----	1
4	ISO-55 Suplemento / shim 50mm	F10 5947	PVC	Blanco / white	tira / strip 5,8 mt	----	2
5	ISO-56 Suplemento / shim 60mm	F10 5948	PVC	Blanco / white	tira / strip 5,8 mt	----	1
6	ISO-03 Perfil tapa / cover profile	F10 5952	Aluminio / Aluminium	Blanco / white RAL 9010	tira / strip 5,8 mt	----	3



Puerta / Door




Puerta / Door							
Fig.	Modelo Version	Código Code	Material Material	Color Colour	un.	Peso Weight	
8	ISO-58 Perfil / profile 60 mm	FI0 7386	Aluminio / Aluminium	Blanco / white RAL 9010	tira / strip 5,8 mt	----	
9	ISO-59 Perfil / profile 80 mm	FI0 7387	Aluminio / Aluminium	Blanco / white RAL 9010	tira / strip 5,8 mt	----	
10	ISO-60 Perfil / profile 100 mm	FI0 7388	Aluminio / Aluminium	Blanco / white	tira / strip 5,8 mt	----	
11	ISO-61 Perfil / profile 120 mm	FI0 7389	Aluminio / Aluminium	Blanco / white	tira / strip 5,8 mt	----	
12	ISO-62 Perfil / profile 150 mm	FI0 7390	Aluminio / Aluminium	Blanco / white	tira / strip 5,8 mt	----	
13	ISO-31 Burlete / gasket	FI0 2544	EPDM 50 sh	Negro / black	rollo / roll 20 mt	----	
14	ISO-25 PVC / PVC	FI0 5968	PVC	Blanco / white RAL 9010	tira / strip 5,8 mt	----	
15	E-60-V2 Escuadra / square	FI0 5962	Aluminio / Aluminium	Aluminio / Aluminium	unidad / unit	----	
16	ISO-63 Perfil tapa / cover profile	FI0 7391	PVC	Blanco / white RAL 9010	tira / strip 5,8 mt	----	




ISO-31 Fig. 13

Modelo / Version	Burlete / Gasket
Código / Code	F10 2544
Material / Material	EPDM 50 sh
Color / Colour	Negro / Black
un.	Rollo / roll 20 mt
Peso / Weight	----



ISO-25 Fig. 14


Modelo / Version	Perfil / Profile
Código / Code	F10 5968
Material / Material	PVC
Color / Colour	Blanco / white RAL 9010
un.	Tira / strip 5,8 mt
Peso / Weight	----







ISO-63 Fig. 16

Modelo / Version	Perfil tapa / Cover profile
Código / Code	F10 7391
Material / Material	PVC
Color / Colour	Blanco / white RAL 9010
un.	Tira / strip 5,8 mt
Peso / Weight	----





E-60-V2 Fig. 15

Modelo / Version	Escuadra / Square
Código / Code	F10 5962
Material / Material	Aluminio / Aluminium
Color / Colour	Aluminio / Aluminium
un.	Unidad / unit
Peso / Weight	----





Puerta / Door
60mm





Marco / Frame							
Fig.	Modelo Version	Código Code	Material Material	Color Colour	un.	Peso Weight	Montaje Assembly
8	ISO-58 Perfil / profile 60 mm	FI0 7386	Aluminio / Aluminium	Blanco / white RAL 9010	tira / strip 5,8 mt	----	1
13	ISO-31 Bultete / gasket	FI0 2544	EPDM 50	Negro / black	rollo / roll 20 mt	----	1
14	ISO-25 PVC / PVC	FI0 5968	PVC	Blanco / white RAL 9010	tira / strip 5,8 mt	----	1
15	E-60-V2 Escuadra / square	FI0 5962	Aluminio / Aluminium	Aluminio / Aluminium	unidad / unit	----	1
16	ISO-63 Perfil tapa / cover profile	FI0 7391	PVC	Blanco / white RAL 9010	tira / strip 5,8 mt	----	1

Puerta / Door
80mm





Marco / Frame								
Fig.	Modelo Version	Código Code	Material Material	Color Colour	un.	Peso Weight	Montaje Assembly	
9	ISO-59 Perfil / profile 80 mm	FI0 7387	Aluminio / Aluminium	Blanco / white RAL 9010	tira / strip 5,8 mt	----	1	
13	ISO-31 Burlete / gasket	FI0 2544	EPDM 50	Negro / black	rollo / roll 20 mt	----	1	
14	ISO-25 PVC / PVC	FI0 5968	PVC	Blanco / white RAL 9010	tira / strip 5,8 mt	----	1	
15	E-60-V2 Escuadra / square	FI0 5962	Aluminio / Aluminium	Aluminio / Aluminium	unidad / unit	----	1	
16	ISO-63 Perfil tapa / cover profile	FI0 7391	PVC	Blanco / white RAL 9010	tira / strip 5,8 mt	----	1	

Puerta / Door
100mm





Marco / Frame							
Fig.	Modelo Version	Código Code	Material Material	Color Colour	un.	Peso Weight	Montaje Assembly
10	ISO-60 Perfil / profile 100 mm	FI0 7388	Aluminio / Aluminium	Blanco / white	tira / strip 5,8 mt	----	1
13	ISO-31 Bultete / gasket	FI0 2544	EPDM 50	Negro / black	rollo / roll 20 mt	----	1
14	ISO-25 PVC / PVC	FI0 5968	PVC	Blanco / white RAL 9010	tira / strip 5,8 mt	----	1
15	E-60-V2 Escuadra / square	FI0 5962	Aluminio / Aluminium	Aluminio / Aluminium	unidad / unit	----	1
16	ISO-63 Perfil tapa / cover profile	FI0 7391	PVC	Blanco / white RAL 9010	tira / strip 5,8 mt	----	1

Puerta / Door
120mm



Marco / Frame								
Fig.	Modelo Version	Código Code	Material Material	Color Colour	un.	Peso Weight	Montaje Assembly	
11	ISO-61 Perfil / profile 120 mm	FI0 7389	Aluminio / Aluminium	Blanco / white	tira / strip 5,8 mt	----	1	
13	ISO-31 Burlete / gasket	FI0 2544	EPDM 50	Negro / black	rollo / roll 20 mt	----	1	
14	ISO-25 PVC / PVC	FI0 5968	PVC	Blanco / white RAL 9010	tira / strip 5,8 mt	----	1	
15	E-60-V2 Escuadra / square	FI0 5962	Aluminio / Aluminium	Aluminio / Aluminium	unidad / unit	----	1	
16	ISO-63 Perfil tapa / cover profile	FI0 7391	PVC	Blanco / white RAL 9010	tira / strip 5,8 mt	----	1	

Puerta / Door
150mm



Marco / Frame								
Fig.	Modelo Version	Código Code	Material Material	Color Colour	un.	Peso Weight	Montaje Assembly	
12	ISO-62 Perfil / profile 150 mm	FI0 7390	Aluminio / Aluminium	Blanco / white	tira / strip 5,8 mt	----	1	
13	ISO-31 Burlete / gasket	FI0 2544	EPDM 50	Negro / black	rollo / roll 20 mt	----	1	
14	ISO-25 PVC / PVC	FI0 5968	PVC	Blanco / white RAL 9010	tira / strip 5,8 mt	----	1	
15	E-60-V2 Escuadra / square	FI0 5962	Aluminio / Aluminium	Aluminio / Aluminium	unidad / unit	----	1	
16	ISO-63 Perfil tapa / cover profile	FI0 7391	PVC	Blanco / white RAL 9010	tira / strip 5,8 mt	----	1	